

## Exhibit 2



1667 K STREET, N. W.  
WASHINGTON, D. C. 20006-1605  
(202) 496-4400  
FACSIMILE: (202) 496-4444

NEW YORK  
1133 AVENUE OF THE AMERICAS  
NEW YORK, NY 10036-2711  
(212) 790-9090  
FACSIMILE: (212) 869-8864/9741

PALO ALTO  
3300 HILLVIEW AVENUE  
PALO ALTO, CALIFORNIA 94304-1203  
(650) 493-4935  
FACSIMILE (650) 493-5556

December 3, 2003

Via Certified Mail

9449-016-999

Dr. Ben-An Khaw  
69 Meadowview Road  
Milton, MA 02186

WRITER'S DIRECT DIAL:  
202-496-4416  
INTERNET ADDRESS:  
BALANCIAV@PENNIE.COM  
DIRECT FAX NUMBER:  
202-835-4664

Re: U.S. Patent Application No. 10/071,397  
Filed: February 6, 2002; By: Khaw et al.  
For: SIGNAL ENHANCEMENT OF BISPECIFIC ANTIBODY-  
POLYMER PROBE FOR IMMUNOASSAY USE

Dear Dr. Khaw:

Enclosed is a request that we filed at the Patent Office to formally withdraw as your representative in the above-identified application, as well as a Request for Continued Examination that we filed to preserve your rights. A copy of this letter is also being sent to Dr. Zabriskie.

Please feel free to contact us if you have any questions or concerns about any of the above.

Sincerely,

A handwritten signature in black ink, appearing to read 'Victor N. Balancia'.

Victor N. Balancia

Enclosures

cc: Dr. John Zabriskie (w/encls., via certified mail)

DCI: 359802.1